Training/Educating Caregivers - Family, Professionals, and Others

- Aberdeen, S.M., Leggat, S.G. & Barraclough, S. (2010). Concept mapping: A process to promote staff learning and problem-solving in residential dementia care. *Dementia*, *9(1)*, 129-151.
- Arkin, S.M. (2001). Alzheimer rehabilitation by students: Interventions and outcomes. *Neuropsychological Rehabilitation*, *11*, 273-317.
- Baltes, M.M., Neuman, E.M., & Zank, S. (1994). Maintenance and rehabilitation of independence in old age: An intervention program for staff. *Psychology and Aging, 9,* 179-188.
- Banks, S., Rogalski, E., Medina, J., Skoglund, A., & Morhardt, D. (2006). Organizing a series of education and support conferences for cargivers of individuals with frontotemporal dementia and primary progressive aphasia. *Alzheimer's Care*, 7(4), 243-250.
- Bourgeois, M. (1994). Teaching caregivers to use memory aids with patients with dementia. *Seminars in Speech and Language, 15,* 291-305.
- Bourgeois M. (1997a). Families caring for elders at home: caregiver training. In B.B. Shadden & M.A. Toner (Eds). *Aging and communication: For clinicians by clinicians* (pp. 227-249). Austin, TX: ProEd.
- Bourgeois, M., Schulz, R., Burgio, L., & Beach, S. (2002). Skills training for spouses of patients with Alzheimer's disease: outcomes of an intervention study. *J. Clinical Geropsychology, 8*(1), 53-73.
- Bryan, K., Axelrod, L., Maxim, J., Bell, L., & Jordan, L. (2002). Working with older people with communication difficulties: an evaluation of care worker training. *Aging & Mental Health, 6*(3), 248-254.
- Bryan, K., & Maxim, J. (1998). Enabling staff to relate to older communication disabled people. International Journal of Language and Communication Disorders, 33(supplement), 121-125.
- Burgio, L.D., Allen-Burge, R., Roth, D.L., & Bourgeois, M.S. (2001). Come talk with me: Improving communication between nursing assistants and nursing home residents during care routines. *The Gerontologist, 41,* 449-460.
- Burgio, L.D., & Scilley, K. (1994). Caregiver performance in the nursing home: The use of staff training and management procedures. *Seminars in Speech and Language, 15,* 313-321.
- Butin, D.N. (1991). Helping those with dementia to live at home: An educational series for caregivers. *Physical and Occupational Therapy in Geriatrics*, *9* (3/4), 60-82.
- Coogle, C.L. (2002). The families who care project: The educational needs of African American and rural family caregivers dealing with dementia. *Educational Gerontology*, *28*, 59-71.
- Davison, T.E., McCabe, M.P., Visser, S., Hudgson, C., Buchanan, G. & George, K. (2006). Controlled trial of dementia training with a peer support group for aged care staff. *International Journal of Geriatric Psychiatry*, 2007(22), 868-873.
- Dempsey, M. (1998). Educating staff. Am. J. Alzheimer's Disease, 13(6), 330-331.
- Devor, M. & Renvall., M. (2008). An educational intervention to support caregivers of elders with dementia. American Journal of Alzheimer's disease & Other Dementias, 23(3), 233-241.
- Done, D.J. & Thomas, J.A. (2001). Training in communication skills for informal carers of people suffering from dementia: a cluster randomized clinical trial comparing a therapist led workshop and a booklet. *International Journal of Geriatric Psychiatry*, *16*, 816-821.
- Feier, C. D., & Leight, G. (1981). A communication-cognition program for nursing home residents. *The Gerontologist, 21* (4), 408-416.
- Garrett, B. (1992). Gerontology and communication disorders: A model for training clinicians. *Educational Gerontology*, *18*, 231-242.
- Haberstroth, J., Neumeyer, K., Krause, K., Franzmann, & Pantel, J. (2011). TANDEM: Communication training for informal caregivers of people with dementia. *Aging and Mental Health, 15*(3), 405-413.
- Hansen, S.S., Patterson, M.A., & Wilson, R.W. (1988). Family involvement on a dementia unit: The resident enrichment and activity program. *The Gerontologist, 28*(4), 508-510.
- Heid-Grubman, J., Reed, P., Gould, E., Westlund, J. & Bluethmann, S. (2010). The foundations of dementia care: Context for a program evaluation research study. *Alzheimer's Care Today*, 11(1), 6-16.
- Hickson, L., Worrall, L., Yiu, E., & Barnett, H. (1996). Planning a communication education program for older people. *Educational Gerontology*, *22*, 257-269.
- lliffe, S. & Manthorpe, J. (2004). The recognition of and response to dementia in the community: Lessons for professional development. *Learning and Health and Social Care, 3* 5-16.
- Jordan, F.M., Worrall, L.E., Hickson, L.M.H., & Dodd, B.J. (1993). The evaluation of intervention programmes for communicatively impaired elderly people. *European J. Dis. of Comm., 28*, 63-85.

- Kayto, J., Hickson, L., & Worrall, L. (1996). Communication difficulties of nursing home residents: How can staff help? *J. Gerontological Nursing*, *22*, 26-31.
- Kessels, R.P. & Olde Hensken, L.M. (2009). Effects of errorless skill learning in people with mild-to-moderate or severe dementia: A randomized controlled pilot study. *NeuroRehabilitation, 25,* 307-312.
- Klondnicka Kouri, K., Ducharme, F.C., & Giroux, F. (2011). A psycho-educational intervention focused on communication for caregivers of a family member in the early stage of Alzheimer's disease: Results of an experimental study. *Dementia*, *10*(3), 435-453.
- Koury, L.N. & Lubinski, R. (1991). Effective in-service training for staff working with communication impaired patients. In R. Lubinski (Ed). *Dementia and communication* (pp. 279-291). Philadelphia: Mosby.
- Kovach, C.R. & Wessel Krejci, J. (1998). Facilitating change in dementia care: Staff perceptions. JONA, 28(5), 17-27.
- Kuske, B., Luck, T., Hanns, S., Matschinger, H., Angermeyer, M.C., Behrens, J. & Riedel-Heller, S.G. (2009). Training in dementia care: A cluster-randomized controlled trial of a training program for nursing home staff in Germany. *International Psychogeriatrics 21(2)*, 295-308.
- Lynggaard, H., & Alexander, N. (2004). 'Why are my friends changing?' Explaining dementia to people with learning disabilities. *British Journal of Learning Disabilities, 32*, 30-34.
- McCallion, P., Toseland, R.W., & Freeman, K. (1999). An evaluation of a family visit education program. *JAGS*, *47*(2), 203-214.
- McCallion, P., Toseland, R.W., Lacey, D. & Banks, S. (1999). Educating nursing assistants to communicate effectively with nursing home residents with dementia. *The Gerontologist, 39,* 546-558.
- Millán-Calenti, J.C., Gandoy-Crego, M., Antelo-Martelo, M., López-Martinez, Riveiro-López, & J.M. Mayán-Santos, J.M. (2000). Helping the family carers of Alzheimer's patients: From theory ... to practice. A preliminary study. *Archives of Gerontology and Geriatrics, 30*, 131-138.
- Monahan, D.J. (1993). Staff perceptions of behavioural problems in nursing home residents with dementia: The role of training. *Educational Gerontology*, *19*, 683-694.
- Orange, J.B., & Colton Hudson A. (1998). Enhancing communication in dementia of the Alzheimer's type: Caregiver education and training. *Topics in Geriatric Rehabilitation, 14*(2), 56-75.
- Quayhagen, M.P., Quayhagen, M., Corbeil, R.R., Roth, P.A. & Rodgers, J.A. (1995). A dyadic remediation program for care recipients with dementia. *Nursing Research*, 44(3), 153-159.
- Sabat, S.R. (2011). A bio-psycho-social model enhances young adults' understanding of and beliefs about people with Alzheimer's disease : a case study. *Dementia*, *11*(1), 95-112.
- Shulman, M., & Mandel, E. (1988). Communication training of relatives and friends of institutionalized elderly. *The Gerontologist, 28* (6), 797-799.
- Song Beeber, A., Zimmerman, S., Fletcher, S., Mitchell, C.M., & Gould, E. (2011). Challenges and strategies for implementing and evaluating dementia care staff training in long-term care settings. *Alzheimer's Care Today, 11*(1), 17-39.
- Stolley, J.M., Buckwalter, K.C., & Shannon, M.D. (1991). Caring for patients with Alzheimer's disease: Recommendations for nursing education. *Journal of Gerontological Nursing*, *17*(6), 34-38.
- Teri, L., Huda, P., Gibbons, L., Young, H. & van Leynseele, J. (2005). STAR: A dementia-specific training program for staff in assisted living residences. *The Gerontologist, 45(5),* 686-693.
- Teri, L., McKenzie, G.L., LaFazia, D., Farran, C.J., Beck, C., Huda, P., Van Leynseele, J. & Pike, K.C. (2009). Improving dementia care in assisted living residences: Addressing staff reactions to training. *Geriatric Nursing*, 30(3), 153-163.
- Toseland, R.W., & McCallion, P. (1998). *Maintaining communication with persons with dementia: An educational program for nursing home staff and family members*. NY: Springer Publishing.
- Wilson, R., Rochon, E., Mihailidis, A., & Leonard, C. (2011). Examining success of communication strategies used by formal caregivers assisting individuals with alzheimer's disease during an activity of daily living. *Journal of Speech-Language and Hearing Research*, *55*, 328-341.

Therapeutic Interventions (TI)

<u>TI: General</u>

- Acton, G.J., Mayhew, P.A., Hopkins, B.A., & Yauk, S. (1999). Communicating with individuals with dementia: the impaired person's perspective. *Journal of Gerontological Nursing*, *25*(2), 6-13.
- Action, G.J., Yauk, S., Hopkins B.A., & Mayhew, P.A. (2007). Increasing social communication in persons with

dementia. Research and Theory for Nursing Practice: An International Journal, 21(1), 32-44.

- Bayles, K.A. (1994). Management of neurogenic communication disorders associated with dementia. In R. Chapey (Ed.), *Language intervention strategies in adult aphasia* (3rd ed.) (pp. 535-545) Baltimore: Williams & Wilkins.
- Bayles, K.A., & Tomoeda, C.K. (1995, December). A research update on effective interventions for dementia patients. Paper presented at the Annual Convention of the American Speechlanguage-hearing Association, Orlando, FL.
- Bayles, K.A., & Tomoeda, C.K. (1995). Understanding & caring for dementia patients: A series (audio tape series). Tucson, AZ: Canyonlands.
- Bernardini, L. (1985). Effective communication as an intervention for sensory deprivation in the elderly client. *Topics in Clinical Nursing*, *6*(4), 72-81.
- Bourgeois, M. (1991). Communication treatment for adults with dementia. J. Speech and Hearing Research, 34, 831-844.
- Camberg, L., Woods, P., Ooi, W.L., Hurley, A., Volicer, V., Ashley, J., Odenheimer, G., & McIntyre, K. (1999). Evaluation of simulated presence: A personalized approach to enhance well-being in persons with Alzheimer's disease. *J. Am. Geriatrics Society, 47,* 446-452.
- Campo, M., & Chaudhury, H. (2011). Informal social interaction among residents with dementia in special care units: exploring the role of physical and social environments. *Dementia*, *11*(3), 401-423.
- Clark, L. W. (1991). Caregiver stress and communication management in Alzheimer's disease. In D. Ripich (Ed.), *Handbook of geriatric communication disorders* (pp 127-141). Austin, TX: Pro-Ed.
- Clark, L. W. (Ed.). (1994). Communication disorders of the older adult: A practical handbook for health care professionals. New York: Hunter/Mt. Sinai GEC Publications.
- Clark, L. W. (1995). Interventions for persons with Alzheimer's disease: Strategies for maintaining and enhancing communicative success. *Topics in Language Disorders, 15*(2), 47-65.
- Clark L.W. (1997). Communication intervention for family caregivers and professional health providers. In Shadden BB, Toner MA (Eds) *Aging and communication: For clinicians by clinicians* (pp. 251-274). Austin, TX: ProEd.
- Clark, L. W., & Witte, K. (1991). Nature and efficacy of communication treatment with dementia. In R. Lubinski (Ed.), *Dementia and communication* (pp. 238-256). Philadelphia: Mosby.
- Cohen-Mansfield, J., Thein, K., Dakheel-Ali, M. & Marx, M.S. (2010). Engaging nursing home residents with dementia in activities: The effects of Modeling, presentation order, time of day, and setting characteristics. *Aging & Mental Health*, *14(4)*, 471-480.
- Cummings, J.L., & Jeste, D.V. (1999). Alzheimer's disease and its management in the year 2010. *Mental Health & Aging, Psychiatric Services*, *50*(9), 1173-1177.
- De Mederios, K., Saunders, P.A., Doyle, P.J, Mosby, A., & Van Haitsma, K. (2011). Friendships among people with dementia in long term care. *Dementia*, *11*(3), 363-381.
- Dower, L. (1991, March/April). Voice communication, environmental controls: New technologies enhance caregiving for Alzheimer's patients. *Home Health Care*, 13-15.
- Egan, M., Bèrubè, D., Racine, G., Leonard, C., & Rochon, E. (2010). Methods to enhance verbal communication between individuals with Alzheimer's disease and their formal and informal caregivers: a systematic review. *International Journal of Alzheimers Disease. Advance Online Publication. doi:10.4061/2010/906818.*
- Ekman, S.L., Norberg, A., Viitanen, M., & Winblad, B. (1991). Care of demented patients with severe communication problems. *Scandinavian Journal of Caring Science*, *5*, 163-170.
- Glickstein, J. K. (1997). *Therapeutic interventions in Alzheimer's disease 2nd Edition*. Tucson, AZ: Canyonlands Publishing.
- Glickstein, J.K. & Neustadt, G.K. (1993). Speech-language interventions in Alzheimer's disease: A functional communication approach. *Clinics in Communication Disorders*, *3*, 15-30.
- Green, G.R., Linsk, N.L., & Pinkston, E.M. (1986). Modification of verbal behavior of the mentally impaired elderly by their spouses. *Journal of Applied Behavior Analysis, 19*(4), 329-336.
- Hopper, T. (2001). Indirect intervention to facilitate communication in Alzheimer's disease. Seminars in Speech and Language, 22(4), 305-315.
- Hopper, T. (2003). "They're just going to get worse anyway": Perspectives on rehabilitation for nursing home residents with dementia. *J. Communication Disorders, 36,* 345-359.
- Hutchinson, S.A. & Marshall, M. (2000). Responses of family caregivers and family

members with Alzheimer's disease to an activity kit: an ethnographic study. *Journal of Advanced Nursing*, *31(1)*, 44-50.

- Lindholm, C., & Wray, A. (2011). Proverbs and formulaic sequences in the language of elderly people with dementia. *Dementia*, *10*(4), 603-623.
- Lubinski, R.B. (1991). Environmental considerations for elderly patients. In R. B. Lubinski (Ed.), Dementia and communication (pp. 257-278). Philadelphia: Mosby.
- Mahendra, N. (2001). Direct interventions for improving the performance of individuals with Alzheimer's disease. *Seminars in Speech and Language*, 22, 291-304.
- Mayers, K., & Griffin, M. (1990). The play project: Use of stimulus objects with demented patients. *J. Gerontological Nursing, 16,* 32-37.
- Mittelman, M.S., Ferris, S.H., Steinberg, G., Shulman, E., Mackell, J.A., Ambinder, A., & Cohen, J. (1993). An intervention that delays institutionalization of Alzheimer's disease patients: Treatment of spouse-caregivers. *The Gerontologist*, *33*, 730-740.
- Namazi, K.H., & Johnson, B.D. (1992). The effects of environmental barriers on attention span of Alzheimer's disease patients. *Am. J. Alzheimer's Care and Related Disorders and Research, 7,* 9-15.
- Norberg, A. (1996). Caring for demented patients. *Acta Neurol Scand, (supplement 165),* 105-108. Ratusnik, D.L., Lascoe, D.S., Herbon, M.B., & Wolfe, V.I. (1989). Group language
- stimulation for patients with senile dementia: A pilot project. *Aphasia-Apraxia-Agnosia 1*(4), 14-29.
- Runci, S., Doyle, C., & Redman, J. (1999). An empirical test of language-relevant interventions for dementia. *International Psychogeriatrics*, *11*(2), 301-311.
- Ryan, E.B., Meredith, S.D., MacLean, M.J., & Orange, J.B. (1995). Changing the way we talk with elders: Promoting health using the Communication Enhancement Model. *Intl J. Aging and Human Development, 41,* 87-105.
- Snyder, M., Egan, E. C., & Burns, K. R. (1995). Efficacy of hand massage in decreasing agitation behaviors associated with care activities in persons with dementia: A simple, easily instituted method of relaxation may decrease agitation and disruptive behaviors. *Geriatric Nursing*, 16, 60-63.
- Tappen, R.M. (1991). Alzheimer's disease: Communication techniques to facilitate perioperative care. *Aorn Journal, 54*(6), 1279-1286.
- Tappen, R.M., Williams-Burgess, C., Edelstein, J., Touhy, T., & Fishman, S. (1997). Communicating with individuals with Alzheimer's disease: examination of recommended strategies. Archives of Psychiatric Nursing, 11(5), 249-256.
- Tomoeda, C.K., & Bayles, K.A. (1990). The efficacy of speech-language pathology intervention: Dementia. Seminars in Speech and Language, 11, 311-319.
- Voyzey, G.A. (2009). Intervention strategies for the staged individual with dementia. *Perspectives on Gerontology*, 14, 19-27.
- Ward, R., Howorth, M., Wilkinson, H., Campbell, S., & Keady, J. (2011). Supporting the friendships of people with dementia. *Dementia*, *11*(3), 287-303.

TI: Discourse

- Arkin, S.M. & Mahendra, N. (2001). Discourse analysis of Alzheimer's patients before and after intervention: Methodology and outcomes. *Aphasiology*, *15*, 533-569.
- Dijkstra, K., Bourgeois, M., Burgio, L., & Allen, R. (2002). Effects of communication intervention on the discourse of nursing home residents with dementia and their nursing assistants. *J. Medical Speech-Language Pathology*, *10*(2), 143-157.
- Erber, N. (1994). Conversation as therapy for older adults in residential care: The case for intervention. *European J. Disorders of Communication, 29,* 269-278.
- Fernández-Ballesteros, R., Izai, M., Diaz, P., Gonzalez, J.L., & Souto, E. (1988). Training of conversational skills with institutionalized elderly: a preliminary study. *Perceptual and Motor Skills, 66,* 923-926.
- Gallagher-Thompson, D. Dal Canto, P.G. Darnley, S., Basilio, L.A., Whelan, L., & Jacob, T. (1997). A feasibility study of videotaping to assess the relationship between distress in Alzheimer's disease caregivers and their interaction style. *Aging & Mental Health, 1,* 346-355.
- Orange, J.B., Ryan, E.B., Meredith, S.D., & MacLean, M.J. (1995). Application of the communication enhancement model for long-term care residents with Alzheimer's disease. *Topics in Language Disorders*, *15*, 20-35.

- Ripich, D. N. (1994). Functional communication with AD patients: A caregiver training program. *Alzheimer Disease and Associated Disorders, 8,* (3), 95-109.
- Ripich, D.N., Carpenter, B.D., Ziol, E.W. (2000). Conversational cohesion patterns in men and women with Alzheimer's disease: A longitudinal study. *Intl. L. Lang. Comm. Dis.*, *35*, 49-64.
- Ripich, D.N., & Wykle, M. L. (1996). *Alzheimer's disease communication guide: The FOCUSED program for caregivers*. San Antonio: The Psychological Corporation.
- Ripich, D.N., Wykle, M., & Niles, S. (1995). Alzheimer's disease caregivers: The FOCUSED program. *Geriatric Nursing, 16,* 15-19.
- Ripich, D.N., Ziol, E., Fritsch, T., & Durand, E.J. (1999). Training Alzheimer's disease caregivers for successful communication. *Clinical Gerontologist, 21,* 37-56.
- Ripich, D.N., Ziol, E., & Lee, M.M. (1998). Longitudinal effects of communication training on caregivers of persons with Alzheimer's disease. *Clinical Gerontologist, 19*(2), 37-55.
- Sabat, S. (1994). Recognizing and working with remaining abilities: Toward improving the care of Alzheimer's disease sufferers. *Am. J. Alzheimer's Care and Related Disorders & Research, 9*(3), 8-16.
- Witte, K. (1987). Discourse and dialogue: Prolonging adult conversation in the Alzheimer's patient. *The American Journal of Alzheimer's Care and Research*, *2*(1), 30-40.

TI: Validation Therapy

- Benjamin, B.J. (1995). Validation therapy: An intervention for disoriented patients with Alzheimer's disease. *Topics in Language Disorders, 15* (2), 66-74.
- Benjamin, B.J. (1999). Validation: A communication alternative. In L. Volicer, L. Bloom-Charette (Eds.). *Enhancing the quality of life in advanced dementia* (pp. 107-125). Philadelphia, PA: Brunner/Mazel.
- Bleathman, C., & Morton, I. (1992). Validation therapy: Extracts from 20 groups with dementia sufferers. *Journal of Advanced Nursing,* 17, 658-666.
- Day, C. (1997). Validation therapy: a review of the literature. J. Gerontological Nursing, 23, 29-34.
- Feil, N. (1982). V-F Validation: The Feil method. Cleveland, OR: Edward Feil Productions.
- Feil, N. (1989). Validation: An empathic approach to the care of dementia. Clinical Gerontologist, 8 (3), 89-94.
- Feil, N. (1992). Validation therapy. Geriatric Nursing, May/June, 129-133.
- Feil, N. (1994). The validation breakthrough: Simple techniques for communicating with people with "Alzheimer's-type Dementia". Baltimore, MD: Health Professions Press.
- Morton I. & Bleathman C. (1991). The effectiveness of validation therapy in dementia: a pilot study. *Intl J. Geriatric Psychiatry*, *6*, 327-330.
- Touzinsky, L. (1998). Validation therapy: restoring communication between persons with Alzheimer's disease and their families. *American. J. Alzheimer's Disease, 13*(2), 96-101.
- Van Amelsvoort Jones, G.M.M. (1985). Validation therapy: a companion to reality orientation. *Canadian Nurse*, *81*(3), 20-23.

TI: Music Therapy

- Casby, J. A., & Holm, M. B. (1994). The effect of music on repetitive disruptive vocalizations of persons with dementia. *Am. J. Occupational Therapy, 48,* 883-889.
- Clair, A.A., Tebb, S., & Bernstein, B. (1993). The effects of a socialization and music therapy intervention on self-esteem and loneliness in spouse caregivers of those diagnosed with dementia of the Alzheimer's type: A pilot study. Am. J. Alzheimer's Disease and Related Disorders and Research, 8(1), 24-32.
- Gerdner, L. A., & Swanson, E. A. (1993). Effects of individualized music on confused and agitated elderly patients. *Archives of Psychiatric Nursing*, *7*, 284-291.
- Lipe, A.W. (1991). Using music therapy to enhance the quality of life in a client with Alzheimer's dementia: A case study. *Music Therapy Perspectives*, *9*, 02-105.
- Pollack, N.J., Namazi, K. H., Dolan, C., & Hill, H. (1992). The effects of music participation on the social behavior of Alzheimer's disease patients. *J. Music Therapy*, *29*, 54-67.

TI: Repetition Problems

Bourgeois, M., Burgio, L.D., Schulz, R., Beach, S. & Palmer, B. (1997). Modifying repetitive verbalizations of community dwelling patients with AD. *The Gerontologist*, *37*(1), 30-39.

TI: Memory Wallets

- Bourgeois, M. (1992a). Evaluating memory wallets in conversations with persons with dementia. *J. Speech and Hearing Research, 35,* 1334-1357.
- Bourgeois, M. (1992b). Conversing with memory impaired individuals using memory aids. Gaylord, MI: Northern Speech Services.
- Bourgeois, M. (1993). Effects of memory aids on the dyadic conversations of individuals with dementia. J. Applied Behavior Analysis, 26, 77-87.
- Bourgeois, M. & Mason, L.A. (1996). Memory wallet intervention in an adult day-care setting. Behavioral Interventions, 11(1), 3-18.

TI: Meals and Conversations

Boczko, F. (1994). The Breakfast Club: A multi-modal language stimulation program for nursing home residents with Alzheimer's disease. *Am. J. Alzheimer's Care and Related Disorders & Research*, *9*(4), 35-38.

TI: Hearing

- Durrant, J., Gilmartin, K., Holland, A., Kamerer, D., & Newall, P. (1991). Hearing disorders management in Alzheimer's disease patients. *Hearing Instruments, 42*, 32-35.
- Lin, F.R., Metter, J., O'Brien, R.J., Resnick, S.M., Zonderman, A.B., & Ferrucci, L. (2011). Hearing loss and incident dementia. *Archives of Neurology*, *68*(2), 214-220.
- Palmer, C.V., Adams, S.W., Bourgeois, M., Durrant, J., & Rossi, M. (1999). Reduction in caregiveridentified problem behaviors in patients with Alzheimer disease post-hearing-aid fitting. J. Speech-Language-Hearing Research, 42(2), 312-328.

TI: Bilingualism

- Bialystok, E. (2009). Bilingualism: the good, the bad, and the indifferent. *Language and Cognition*, 12(1), 3-11.
- Bialystok, E., Fergus, I.M., & Freedman, M. (2007). Bilingualism as a protection against the onset of symptoms of dementia. *Neuropsychologia*, 45, 459-464.
- Chertkow, H., Whitehead, V., Phillips, N., Wolfson, C., Atherton, J. & Bergman, H. (2010) Multilingualism (but not always bilingualism) delays the onset of Alzheimer Disease: evidence from a bilingual community. *Alzheimer Disease Association Disorder*, 24(2), 118-125.
- Cargo, M. & Westernoff, F. (1997). CASLPA Position paper on Speech-Language Pathology and Audiology in the Multicultural, Multilingual Context. *Journal of Speech-Language Pathology and Audiology,* September.
- Craik, F.I.M., Bialystok, E., & Freedman, M. (2010). Delaying the onset of Alzheimer disease: bilingualism as a form of cognitive reserve. *Neurology*, 75, 1726-1729.
- De Picciotto, J., & Friedland, D. (2001). Verbal fluency in elderly bilingual speakers: normative data and preliminary application to Alzheimer's disease. *Folia Phoniatrica et Logopaedia*,53, 145-152.
- Ekman, S.L., (1996). Monolingual and bilingual communication between patients with dementia diseases and their caregivers. *International Psychogeriatrics*, 8(1), 127-132.
- Ekman, S.L., Robins Wahlin, T.B., Viitanen, M., Norberg, A., & Winblad, B. (1994). Preconditions for communication in the care of bilingual demented persons. *International Psychogeriatrics*, 6(1), 105-120.
- Fabbro, F. (2001). The bilingual brain: bilingual aphasia. Brain and Language, 79, 201-210.
- Fabbro, F. (2001). The bilingual brain: cerebral representation of languages. *Brain and Language*, 79, 211-222.
- Gollan, T.H., Salmon, D.P, Montoya, R.I. & Da Pena, E. (2010). Accessibility of the nondominant language in picture naming: a counterintuitive effect of dementia on bilingual language production. *Neuropsychologia*, 48, 1356-1366.
- Kreps, G.L., & Kunimoto, E.N. (1994). Effective communication in multicultural health care settings. In
 W. B. Gudykunst & S. Ting-Toomey (Eds.), *Communicating effectively in multicultural contexts:* Vol. 3 (pp. 1-134). Thousand Oaks, CA: Sage.
- Kyltenstam, K. & Obler, L.K. (1989). Bilingualism across the lifespan: aspects of acquisition, maturity and loss. Cambridge University Press, Cambridge.

- Marrero, M.Z., Golden, C.J. & Espe-Pfeifer, P. (2002). Bilingualism, brain injury and recovery: Implications for understanding the bilingual and for therapy. *Clinical Psychology Review, 22*, 463-478.
- Mendez, M.F., Perryman, K.M., Ponton, M.o. &, Cummings, J.L. (1999). Bilingualism and dementia. *Journal of Neuropsychiatry Clinical Neuroscience*, 11(3), 411-412.
- Paradis, M. (1987). The Assessment of Bilingual Aphasia. Lawrence Erledaum Associates, Inc. Hillsdale, New Jersey.
- Siyambalapitiya, S., Chenery, H.J. & Copland, D.A. (2009) Bilingualism and aging: Reversal of the cognate advantage in older bilingual adults. *Applied Psycholinguistics*, 30, 531-554

TI: Reminiscence

- Harris, J. (1997). Reminiscence: A culturally and developmentally appropriate language intervention for older adults. *Am. J. Speech-Language Pathology, 6,* 19-26.
- Kim, E.S., Cleary, S.J., Hopper, T., Bayles, K.A., Mahendra, N., Azuma, T., & Rackley, A. (2006). Evidence-based practice recommendations for working with individuals with dementia: Group reminiscence therapy. *Journal of Medical Speech and Language Pathology*, 14(3), xxiii-xxxiv.
- Webster, J.D., Bohlmeijer, E.T. & Westerhof, G.J. (2010). Mapping the future of reminiscence: A conceptual guide for research and practice. *Research on Aging*, *32(4)*, 527-564.

TI: Agitation

Hart, B.D., & Wells, D.L. (1997). The effects of language used by caregivers on agitation in residents with dementia. *Clinical Nurse Specialist, 11*(1), 20-23.

TI: Animal Assisted Therapy

Hopper, T., Bayles, K.A., & Tomoeda, C.K. (1998). Using toys to stimulate communicative function in individuals with Alzheimer's disease. *J. Medical Speech-Language Pathology*, *6*(2), 73-80.

TI: Simulated Presence

- Bayles, K.A., Kim, E., Bond Chapman, S., Zientz, J., Rackley, A., Mahendra, N., Cleary, S.J. (2006). Journal of Medical Speech-Language Pathology, 14(3), xiii-xxi.
- Heller, R.B, Dobbs, B.M., & Strain, L.A. (2009). Video programming for individuals with dementia: assessing cognitive congruence. *American Journal of Alzheimer's Disease and Other Dementias*, 24(2), 122-128.
- O'Connor, C.M., Smith, R., Nott, M.T., Lorang, C., & Mathews, R.M. (2011). Using video simulated presence to reduce resistance to care and increase participation of adults with dementia. *American Journal of Alzheimer's Disease and Other Dementias*, *26*(4), 317-325.

TI: Cognitive Interventions

- Anderson, N.D., Guild, E.B., Cyr, A.A., Roberts, J., & Clare, L. (2012). Contributions of frontal and medial temporal lobe functioning to the errorless learning advantage. *Neuropsychological Rehabilitation*, 22(2), 169-186.
- Conroy, P., & Lambon Ralph, M.A. (2012). Errorless learning and rehabilitation of language and memory impairments. *Neuropsychological Rehabilitation*, 22(2), 137.
- Conroy, P., & Lambon Ralph, M.A. (2012). Overview and ways forward for the future. *Neuropsychological Rehabilitation*, 22(2), 319-328.
- Conroy, P., & Scowcroft, J. (2012). Decreasing cues for dynamic list of noun and verb naming targets: a case-series aphasia therapy study. *Neuropsychological Rehabilitation, 22*(2), 295-318.
- Craik, F.I.M., Bialystok, E., & Freedman, M. (2010). Delaying the onset of Alzheimer disease. *Neurology*, 75, 1726-1726.
- Jokel, R., & Anderson, N.D. (2012). Quest for the best: effects of errorless and active encoding on word re-learning in semantic dementia. *Neuropsychological Rehabilitation*, 22(2), 187-214.
- Middleton, E.L., & Schwartz, M.F. (2012). Errorless learning in cognitive rehabilitation: a critical review. *Neuropsychological Rehabilitation*, 22(2), 138-168.
- Noonan, K.A., Pryer, L.R., Jones, R.W., Burns, A.S., & Lambon Ralph, M.A. (2012). A direct comparison of errorless and errorful therapy for object name relearning in Alzheimer's disease. *Neuropsychological Rehabilitation*, 22(2), 215-234.

- Raymer, A.M., McHose, B., Smith, K.G., Iman, L., Ambrose, A., Casselton, C. (2012). Contrasting effects of errorless naming treatment and gestural facilitation for word retrieval in aphasia. *Neuropsychological Rehabilitation*, 22(2), 235-266.
- Serruya, M.D., & Kahana, M.J. (2008). Techniques and devices to restore cognition. *Behavioural Brain Research, 192*(10), 149-165.
- Spector, A., Thorgrimsen, L., Woods, B., Royan, L., Davies, S., Butterworth, M., & Orrell, M. (2003). Efficacy of an evidence-based cognitive stimulation therapy programme for people with dementia. *Journal of Psychiatry, 183,* 240-254.

Elderspeak

- Kemper, S. (1994). Speech accommodations to dementia. J. Gerontology: Psychological Sciences, 49(5), 223-229.
- Kemper, S. (1994). Elderspeak: Speech accommodations to older adults. *Aging and Cognition, 1*(1), 17-28.
- Kemper, S., Ferrell, P., Harden, T., Finter-Urczyk, A., & Billington, C. (1998). Use of Elderspeak by young and older adults to impaired and unimpaired listeners. *Aging, Neuropsychology, and Cognition,* 5(1), 43-55.
- Medouar, F., Loock, J., & Davignon, A. (2011). In veiled terms: the eyes of seniors and caregivers in daily communication and manifestations of ageism implicit. *Canadian Journal on Aging, 30*(2). Advance Online Publication.
- Small, J.A., Huxtable, A., & Walsh, M. (2009). The role of caregiver prosody in conversations with persons who have Alzheimer's disease. *American Journal of Alzheimer*'s *Disease and Other Dementias*, 24(6), 429-475.
- Williams, K.N., Herman, R., Gajewski, B., & Wilson, K. (2009). Elderspeak communication: impact of dementia care. *American Journal of Alzheimer*'s *Disease and Other Dementias*, 24(1), 11-20.

Diagnostics and Testing

- Albert, M.S., DeKosky, S.T., Dickson, D., Dubois, B., Feldman, H.H., Fox, N.C., ... Phelps, C.H. (2011). The diagnosis of mild cognitive impairment due to Alzheimer's disease: Recommendations from the national institute on aging and Alzheimer's association workgroup. *Alzheimer's and Dementia.* Advance Online Publication. doi:10.1016/jalz.2011.03.008.
- Gorno-Tempini, M.L., Hillis, A.E., Weintraub, S., Kertesz, A., Mendez, M., Cappa, S.E., ... Grossman, M. (2011). Classification of primary progressive aphasia and its variants. *Neurology*, *76*, 1006-1014.
- Hammers, D., Spurgeon, E., Ryan, K., Persad, C., Heidebrink, J., Barbas, N., ... Giordani, B. (2011). Reliability of repeated cognitive assessment of dementia using a brief computerized battery. *American Journal of Alzheimer's Disease and Other Dementia's*, *26*(4), 326-333.
- Hyman, B.T., Phelps, C.H., Beach, T.G., Bigio, E.H., Cairns, N.J., Carrillo, M.C., ... Montine, T. J. (2012). National institute on aging-Alzheimer's association guidelines for the neuropathic assessment of Alzheimer's disease. *Alzheimer's and Dementia*. Advance Online Publication. doi:10.1016/j.jalz.2011.10.007.
- Jack, C.R., Albert, M.S., Knopman, D.S., McKhann, G.M., Sperling, R.A., Carrillo, M.C., ... Phelps, C.H. (2011). Introduction to the recommendations from the national institute on again and the Alzheimer's association workgroup on diagnostic guidelines for Alzheimer's disease. *Alzheimer's and Dementia.* Advance Online Publication. doi:10.1016/j.jalz.2011.03.004.
- Matteau, E., Dupre, N., Langlois, M., Jean, L., Thivierge, S., Provencher, P., & Simard, M. (2011). Mattis dementia rating scale 2: screening for MCI and dementia. *American Journal of Alzheimer's Disease and Other Dementias*, 26(5), 389-398.
- McKhann, G.M., Knopman, D.S., Chertkow, H., Hyman, B.T., Jack, C.R., Kawas, C.H., ... Phelps, C.H. (2011). The diagnosis of dementia due to Alzheimer's disease: Recommendations from the national institute on aging and the Alzheimer's association workgroup. *Alzheimer's and Dementia*. Advance online publication. doi:10.1016/j.jalz.2011.03.005.
- Nasreddine, Z. S., Phillips, N.A., Bedirian, V., Charbonneau, S., Whitehead, V., Collin, I., ...Chertkow, H. (2005). A Montréal cognitive assessment, MoCA: a brief screening tool for mild cognitive impairment. *American Geriatrics Society*, 53, 695-699.

- Neary, D., Snowden, J.S., Gustafson, L., Passant, U., Stuss, D., Black, S., ... Benson, D.F. (1998). Frontotemporal lobar degeneration: A consensus criteria on clinical diagnostic criteria. *Neurology*, *51*, 1546-1554.
- Olde-Rikkert, M.G.M, Tona, K.D., Janssen, L., Burns, A., Lobo, A., Robert, P., ... Waldemar, G. (2011). Validity, reliability, and feasibility of clinical staging scales in dementia: a systemic review. *American Journal of Alzheimer's Disease and Other Dementias*, 26(5), 357-365.
- Rascovsky, K., Hodges, J.R., Kipps, C.M., Johnson, J.K., Seeley, W.W., Mendez, M.F. ... Miller, B.M. (2007). Diagnostic criteria for the behavioural variant of frontotemporal dementia (bvftd): Current limitations and future directions. *Alzheimer's Disease and Associated Disorders, 21*(4), S14- S18.
- Weintraub, S., Mesulam, M.M., Wieneke, C., Rademaker, A., Rogalsji, E.J., & Thompson, C.K. (2009). The northwestern anagram test: measuring sentence production in primary progressive aphasia. *American Journal of Alzheimer's Disease and Other Dementias*, 24(5), 408-416.
- Woodford, H.J., & Georde, J. (2007). Cognitive assessment in the elderly: a review of clinical methods. *Q J Med, 100,* 469-484.
- Wright, D.W., Nevarez, H., Kilgo, P., LaPlaca, M., Robinson, A., Fowler, S., ... Goldstein, F.C. (2011). A novel technology to screen for cognitive impairment in the elderly. *American Journal of Alzheimer's Disease and Other Dementias*, 26(6), 484-491.
- Zadikoff, C., Fox, S., Tang-Wai, D.F., Thomsen, T., de Bie, R.M.A., Wadia, P., ... Marras, C. (2008). A comparison of the mini mental state exam to the Montreal cognitive assessment in identifying cognitive deficits in Parkinson's disease. *Movement Disorders, 23*(2), 297-299.

Communication (C)

C: General

- Acton, G.J., Mayhew, P.A., Hopkins, B.A., & Yauk, S. (1999). Communicating with individuals with dementia: The impaired person's perspective. *J. Gerontological Nursing*, *25*(2), 6-13.
- Allen-Burge, R., Burgio, L.D., Bourgeois, M., Sims, R., & Nunnikhoven, J. (2001). Increasing communication among nursing home residents. *J. Clinical Geropsychology*, 7(3), 213-230.
- Bayley, J. (1999). Elegy for Iris. NY: Picador Press.
- Campbell-Taylor, I. (1990) A practical guide to communication in Alzheimer's disease. Toronto, Ontario: ConMed Associates.
- Farran, C.J., & Keane-Hagerty, E. (1989). Communicating effectively with dementia patients. *Journal of Psychosocial Nursing*, 27(5), 13-16.
- Friel McGowin, D. (1993). Living in the labyrinth: A personal journey through the maze of Alzheimer's. NY: Delacourte Press.
- Garratt, S., & Hamilton-Smith, E. (1995). Dementia and communication. In *Rethinking dementia An Australian approach* (pp. 47-71). Melbourne, Australia: Ausmed Publications.
- Genova, L. (2009). Still Alice. NY: Simon and Shuster.
- Gerber Zimmermann, P. (1998). Effective communication with patients with dementia. J. Emergency Nursing, 24(5), 412-415.
- Gurland, B., Toner, J., Wilder, D., Chen, J. & Lantigua, R. (1994). Impairment of communication and adaptive functioning in community-residing elderly with advanced dementia. *Alzheimer's Disease and Associated Disorders, 8,* 230-241.
- Hall, G.R. (1991). This hospital patient has Alzheimer's. American Journal of Nursing, October, 45-50.
- Hamilton-Smith, E. (1995). *Rethinking dementia: An Australian approach* (Garratt, S. Ed.). Victoria, Australia: Ausmed publications.
- Hodgson, H. (1995). Alzheimer's Finding the right words: A communication guide for those who care. Minneapolis, MN: Chronimed Publishing.
- Hopper, T., Bayles, K.A., & Kim, E. (2001). Retained neuropsychological abilities of individuals with Alzheimer's disease. *Seminars in Speech and Language*, 22, 261-273.

Kelly, M.F. (1997). Social interaction among people with dementia. *Gerontological Nursing*, 23, 16-20. Kertesz, A. (2006). *The Banana Lady*. Victoria, BC: Trafford Publishing.

- Killick, J., & Allan, K. (2001). Communication and care of people with dementia. Buckingham, UK: Open University Press.
- Koenig Coste, J. (2003). Learning to speak Alzheimer's. Boston, MA: Houghton Mifflin, Co.

Landers, A. (1991, September 7). How to Communicate with Alzheimer patients. *The Toronto Star*, p. K4. Lubinski, R. (1991). *Dementia and communication*. Philadelphia: Mosby.

- Orange, J. B., Molloy, D. W., Lever, J. A., Darzins, P., & Ganesan, C. R. (1994). Alzheimer's disease: Physician-patient communication. *Canadian Family Physician*, 40, 1160-1168. Orange, J.B., &
- Ryan, E.B. (1995). Effective communication with older adults. In B. Pickles, A. Compton, C. Cott, J. Simpson, & T. Vandervoort (Eds.), *Physiotherapy with older people* (pp. 119-137). London: W.B. Saunders.
- Orange, J.B., & Ryan, E.B. (2000). Alzheimer's disease and other dementias and patient-physician communication. In R. Adelman and M. Greene (Eds.) *Clinics in Geriatric Medicine: Communication between older adults and their physicians - Vol 161* (pp 153-173). Philadelphia, PA: W.B. Saunders.
- Ostuni, E., & Santo Pietro, M.J. (1991). Getting through: Communicating when someone you care for has Alzheimer's disease. Vero Beach, FL: The Speech Bin.
- Pajk, M. (1984). CE Alzheimer's disease inpatient care. *American journal of Nursing, February*, 216-222.
- Pedersen, K.A. (1985). Another language. Hospital and Community Psychiatry, 36(7), 780.
- Radin, L & Radin G (2003). A caregiver's guide to dementia: What if it's not Alzheimer's? Amherst, NY: Prometheus Books.
- Rau, M.T. (1993). *Coping with communication challenges in Alzheimer's disease*. San Diego: Singular Publishing Group.
- Richter, J. M., Bottenberg, D., & Roberto, K. A. (1993). Communication between formal caregivers and individuals with Alzheimer's disease. *Am. J. Alzheimer's Care and Related Disorders & Research, 8*(5), 20-26.
- Ritchie, M. (2005). The long way home: A journey through Alzheimer's. Ontario, Canada: Harrop Press.
- Ronch, J.L. (1989). Communicating with the demented elderly person. In *Alzheimer's Disease: A practical guide* for those who help others (pp. 70-75). New York, NY: The Continuum Publishing Company.
- Santo Pietro, M.J., & Ostuni, E. (2003). Successful communication with Alzheimer's patients: An inservice training manual – 2nd edition. Boston: Butterworth-Heinemann.
- Shadden, B.B. (1988). Communication behavior and aging: A sourcebook for clinicians. Baltimore: Williams & Wilkins.
- Shadden, B.B., & Toner, M.A. (2012). *Aging and communication: for clinicians by clinicians 2nd Ed).* Austin, TX: ProEd.
- Sheldon, B. (1994). Communicating with Alzheimer's patients. *J. Gerontological Nursing, Oct,* 51-53.

Strauss, C. J. (2001). *Talking to Alzheimer's*. Oakland, CA: New Harbinger Publications.

- Taylor, R. (2007). Alzheimer's from the inside out. Baltimore, MD: Health Professions Press.
- Whall, A.L. (1989). Communicating with advanced-stage dementia patients: The application of Sullivanian theory. *J. Gerontological Nursing, 15,* 31-32.
- Ziol, E. Dobres, R., & White, L. (1996). Interactive communication: Group activities for the elderly with cognitive impairments. Bisbee, AZ: Imaginart International.

C: Discourse

- Brown, G, & Yule, G. (1983). Discourse analysis. New York, NY: Cambridge University Press.
- Edwards, D. (1997). *Discourse and cognition.* Thousand Oaks, CA: SAGE Publishing.
- Gallagher, T.M. (1991). *Pragmatics of Language Clinical Practise Issues*. San Diego, CA: Singular Publishing Group, Inc.
- Hengst, J.A., & Prior, P.A. (2010). *Exploring semiotic remediation as discourse practice*. New York, NY: Palgave MacMillan.
- Johnstone, B. (2008). *Discourse analysis* (2nd eds). Malden, MA: Blackwell Publishing.
- Liddicoat, A.J. (2007). Introduction to conversation analysis. New York, NY: Continuum.
- Paradis, M. (1998). *Pragmatics in neurogenic communication disorders.* Tarytown, NY: Elsevier Science, Inc.
- Rodger, D., & Bull, P. (1989). Conversation. Clevedon, PA: Multilingual Matters, Ltd.
- tenHave, P. (2007). *Doing conversation analysis: a practical guide.* Thousand Oaks, CA: SAGE Publications.
- Schegloff, E.A. (2007). Sequence organization in interaction. New York, NY: Cambridge University Press.

van Dijk, T. A. (1997). *Discourse as social interaction*. Thousand Oaks, CA: SAGE Publishing. van Dijk, T. A. (2011). Discourse studies and hermeneutics. *Dementia*, *13*(5), 609-621.

Yeari, M. & van den Broek, P. (2011). A cognitive account of discourse understanding and discourse interpretation: the landscape model of reading. *Dementia*, *13*(5), 635-643.

C:Discourse and Dementia

- Asp, E.D. & de Villiers, J. (2010). When language breaks down: analyzing discourse. New York: Cambridge University Press.
- Ball, E. (2011, April 5). Contributing to the interview of a lifetime: SLP works with story corps to help preserve precious memories. *The ASHA Leader,* pp. 30-31.
- Bourns, R.E. (2005). The long way home: a journey through Alzheimer's. Ontario, Canada: Harrow Press.
- Butler, R.N. (2003). *Learning to speak Alzheimer's*. New York, NY: Houghton Mufflin Company. Davis, B.H. (2005). *Alzheimer talk, text, and context: enhancing communication*. New York, NY:

Palgrave MacMillan.

De Santi, S., Koenig, L., Obler, L., & Goldberger, J. (1994). Cohesive devices and conversational

discourse in Alzheimer's disease. In R. L. Bloom, L. K. Obler, S. De Santi, & J. S. Ehrlich (Eds.), *Discourse analysis and applications: Studies in adult clinical populations* (pp 210-215). Hillsdale, NJ: Lawrence Erlbaum.

Guendouzi, J., & Muller, N. (2006). *Approaches to discourse in dementia.* Mahwah, New Jersey: Lawrence Erlbaum Associates Publishers.

Kertesz, A. (2006). *The banana lady and other stories of curious behaviour and speech*. Victoria, BC: Tarfford Publishing.

Orange, J.B., Lubinski, R., & Higginbotham, D.J. (1996). Conversational repair by individuals with dementia of the Alzheimer's type. *J. Speech and Hearing Research, 39*, 881-895.

Orange, J.B. & Purves, B. (1996). Conversational discourse and cognitive impairment: Implications for Alzheimer's disease. J. Speech-Language Pathology and Audiology, 20, 139-150.

Orange, J.B., VanGennep, K.M., Miller, L., & Johnson, A. (1998). Resolution of communication breakdown in dementia of the Alzheimer's type: A longitudinal study. *J. Applied Communication Research*, *26*(1), 120-138.

Ramanathan, V. (1997). *Alzheimer discourse: Some sociolinguistic dimensions*. Mahwah, NJ: Lawrence Erlbaum Associates.

Sabat, S. (1991). Turn-taking, turn-giving, and Alzheimer's disease: A case study of conversation. *Georgetown Journal of Languages and Linguistics*, 2(2), 161-175.

Sabat, S. (1991). Facilitating conversation via indirect repair: a case study of Alzheimer's disease. *The Georgetown Journal of Languages and Linguistics*, *2*, 284-296.

Sabat, S., & Cagigas, X.E. (1997). Extralinguistic communication compensates for the loss of verbal fluency: A case study of Alzheimer's disease. *Language and Communication*, *17*, 341-351.

Small, J.A., Geldart, K., & Gutman, G. (2000). Communication between individuals with dementia and their caregivers during activities of daily living. *Am. J. Alzheimer's Disease and Other Dementias*, *15*, 291-302.

Small, J.A., & Gutman, G. (2001, July). Recommended and reported use of communication strategies in Alzheimer caregiving. Poster presented at the 5th International Conference on Communication, Aging, & Health, Vancouver, BC.

Strauss, C.J. (2001). Talking to Alzheimer's. Oakland, CA: New Harbiinger Publications, Inc.

Taylor, R. (2007). Alzheimer's from the inside out. Baltimore, ML: Health Professions Press, Inc.

- Tomoeda, C.K., & Bayles, K.A. (1993). Longitudinal effects of Alzheimer disease on discourse production. *Alzheimer Disease and Associated Disorders*, *7*, 33-64.
- Watson, C.M., Chenery, H.J., & Carter, M.S. (1999). An analysis of trouble and repair in the natural conversations of people with dementia of the Alzheimer's type. *Aphasiology*, *13*(3), 195-218.

<u>C: Caregivers' Perspectives</u>

La Rue, L., Watson, J., & Plotkin, D.A. (1993). First symptoms of dementia: A study of relatives' reports. *Intl. J. Geriatric Psychiatry, 8,* 239-245.

Orange, J.B. (1991). Perspectives of family members regarding communication changes. In R. B. Lubinski (Ed.), *Dementia and communication* (pp. 168-186). Philadelphia: Mosby.

Orange, J.B. (2001). Family caregivers, communication and Alzheimer's disease. In M.L. Hummert

and J. Nussbaum (Eds.) *Aging, communication, and health: Multidisciplinary perspectives* (pp. 225-248). Mahwah, NJ: Lawrence Erlbaum Associates.

- Powell, J.A., Hale, M.A., & Bayer, A.J. (1995). Symptoms of communication breakdown in dementia: Carers' perceptions. *European Journal of Disorders of Communication, 30,* 65-75.
- Richter J.M., Roberto K.A. & Bottenberg D.J. (1995). Communicating with persons with Alzheimer's disease: Experiences of family and formal caregivers. *Archives of Psychiatric Nursing*, *9*(5), 279-285.
- Siriopoulos, G., Brown, Y., Wright, K. (1999). Caregivers of wives diagnosed with Alzheimer's disease: Husbands' perspectives. *Am. J. Alzheimer's Disease, 14*(2), 79-87.

Memory, Cognitive and Behaviour

- Arkin, S.M. (1991). Memory training in early Alzheimer's disease: An optimistic look at the field. *Am. J. Alzheimer's Care and Related Disorders & Research, 6,* 17-25.
- Arkin, S.M. (1992). Audio-assisted memory training with early Alzheimer's patients. *Clinical Gerontologist*, 12, 77-96.
- Arkin, S.M, Rose, C. & Hopper, T. (2000). Implicit and explicit learning gains in Alzheimer's patients: Effects of naming and information retrieval training. *Aphasiology*, *14*, 723-742.
- Bayles, K.A., & Azuma, T. (1997). *Memory and cognition Series* (audio tape series). Tucson, AZ: Canyonlands Publishing Inc.
- Beck, C., Heacock, P., Mercer, S., Thatcher, R., & Sparkman, C. (1988). The impact of cognitive skills remediation training on persons with Alzheimer's disease or mixed dementia. *Journal of Geriatric Psychology*, 21, 73-88.
- Bourgeois, M. (1990). Enhancing conversation skills in patients with Alzheimer's disease using a prosthetic memory aid. *J. Applied Behavior Analysis, 23,* 29-42.
- Bourgeois, M. (1997b). *My book of memories: A memory aid workbook*. Tucson. AZ: Canyonlands Pub.
- Brush, J., J.A. & Camp, C.J. (1998). Using spaced retrieval as an intervention during speech-language therapy. *Clinical Gerontologist, 19*, 51-64.
- Camp, C.J. Foss, J.W. (1997). Designing ecologically valid memory interventions for persons with dementia. In D.G. Payne & F.G. Conrad (Eds.). *Intersections in basic and applied memory research* (pp. 311-325). Mahwah, NJ: Lawrence Erlbaum & Assoc.
- Camp, C.J. Foss, J.W., O'Hanlon, A.M., & Stevens, A.B. (1996). Memory interventions for persons with dementia. *Applied Cognitive Psychology*, *10*, 193-210.
- Camp, C.J. Foss, J.W., O'Hanlon, A.M., & Stevens, A.B. (1996). Improving prospective memory task performance in Alzheimer's disease. In M.A. Bandimonte, G.O. Einstein, & M.A. McDaniel (Eds.). *Prospective memory: Theory and applications* (pp. 351-367). Mahwah, NJ: Lawrence Erlbaum & Assoc.
- Camp, C.J. Foss, J.W., Stevens, A.B., Reichard, C.C., McKitrick, L.A., & O'Hanlon, A.M. (1993). Memory training in normal and demented populations: The E-I-E-I-O model. *Experimental Aging Research*, 19, 277-290.
- Camp, C.J., Judge, K.S., Bye, C.A., Fox, K.M., Bowden, J., Bell, M., Valencic, K., & Mattern, J.M. (1997). An intergenerational program for persons with dementia using Montessori methods. *The Gerontologist*, *37*, 688-692.
- Frey, L.W., Leeah, L., Nelson, N., Pirozzolo, F.J., & Mahurin, R. (1991). Improved neuropsychological test scores in Alzheimer's disease patients after ecologically sensitive, cognitive interventions: A pilot study. *The American Journal of Alzheimer's Care and Related Disorders & Research, September/October*, 34-38.
- Judge, K.S., Camp, C.J., Orsulic-Jeras, S. (2000). Use of Montessori-based activities for clients with dementia in adult day care: effects on engagement. *Am. J. Alzheimer's Disease, 15*(1), 42-46.
- Karlsson, T., Backman, L., Herlitz, A., Nilsson, L.G., Winblad, B., & Osterlind, P.O. (1989). Memory improvement at different stages of Alzheimer's disease. *Neuropsychologia*, 27(5), 737-742.
- Lemay, M. & Lanreville, P. (2010). Verbal agitation in dementia: The role of discomfort. *American Journal of Alzheimer's Disease & Other Dementias, 25(3),* 193-201.
- Lopez, M.A., Hoyer, W.J., Goldstein, A.P., Gershaw, N.J., & Sprafkin, R.P. (1980). Effects of overlearning and incentive on the acquisition and transfer of interpersonal skills with institutionalized elderly. *Journal of Gerontology*, 35(3), 403-408.
- Sabat, S.R. & Gladstone, C.M. (2010). What intact social cognition and social behavior reveal

about cognition in the moderate stage of Alzheimer's disease. Dementia, 9(1), 61-78.

Stevens, A.B., King, C.A. & camp, C.J. (1993). Improving prose memory and social interaction using guestion asking reading with adult day care clients. *Educational Gerontology*, *19*, 651-662.

Vance, D., Camp, C., Kabacoff, M., & Greenwalt, L. (1996). Montessori methods: Innovative interventions for adults with Alzheimer's disease. *Montessori Life, Winter*, 10-12.

Personhood

Edvardsson, D., Winblad, B., & Sandman, P.O. (2008). Person-centred care of people with severe Alzheimer's disease: current status and ways forward. *Lancet Neurology*, *7*, 362-367.

- Herman, R. & Williams, K.N. (2009). Elderspeak's influence on resistiveness to care: Focus on behavioural events. *American Journal of Alzheimer's Disease & Other Dementias, 24(5), 417-423.*
- Innes, A. (2001). Student-centred learning and person-centred dementia care. *Education and Ageing*, *16*(2), 229-252.
- Kitwood, T. (1997a) *Dementia Reconsidered: The Person Comes First*. Philadelphia: Open University Press.

Kitwood, T. (1997b) 'The Experience of Dementia'. Aging and Mental Health, 1(1): 13-22. Kitwood, T. (1998) 'Towards a Theory of Dementia Care: Ethics and Interaction'. The Journal of Clinical Ethics 9(1): 23-34.

Kitwood, T., & Bredin, K. (1992). Towards a theory of dementia care: personhood and well-being. *Ageing and Society, 12,* 269-287.

Sabat, S.R. (2001). The experience of Alzheimer's disease. Malden, MA: Blackwell Pub.

Sabat, S., & Collins, M. (1999). Intact social, cognitive ability, and selfhood: A case study of Alzheimer's disease. *Am. J. Alzheimer's Disease*, *14*(1), 11-19.

Sabat, S., & Gladstone, C.M. (2010). What intact social cognition and social behavior reveal about cognition in the moderate stage of Alzheimer's disease. *Dementia*, 9(1), 61-78.

- Sabat, S. & Harré, R. (1992). The construction and deconstruction of self in Alzheimer's disease. *Ageing and Society, 12,* 443-461.
- Saunders, P.A., de Medeiros, K., & Bartell, A. (2011). `Oh he was forgettable`: construction of self-identity through use of communicative coping behaviors in the discourse of persons with cognitive impairment. *Dementia*, *10*(3), 341-359.

Tappen, R., Williams, C., Fishman, S., & Touhy, T. (1999). Persistence of self in advanced Alzheimer's disease. *Image: Journal of Nursing Scholarship, 31,* 121-125.

Witte, K. (1989). Rekindling the joy of life for Alzheimer's patients and their caregivers. The American Journal of Alzheimer's Care and Related Disorders & Research, 4(4), 12-17.

Relationships

- Bonnel, W.B. (1996). Not gone and not forgotten: a spouse's experience of late-stage Alzheimer's disease. *Journal of Psychosocial Nursing and Mental Health, 34*(8), 23-27.
- Buckwalter, K. C., Cusack, D., Kruckeberg, T., & Shoemaker, A. (1991). Family involvement with communication-impaired residents in long-term -care settings. *Applied Nursing Research, 4,* 77-84.
- LoboPrabhu, S., Molinari, V., Arlinghaus, K., Barr, E. & Lomax, J. (2005). Spouses of patients with dementia: How do they stay together "till death do us part"? *Journal of Gerontological Social Work, 44 (3/4),* 161-174.
- Rundqvist, E.W., & Severinsson, E.I. (1999). Caring relationships with patients suffering from dementia an interview study. J. Advanced Nursing, 29, 800-807.
- Wright, L.K. (1991). The impact of Alzheimer's disease on the marital relationship. *The Gerontologist*, 31(2), 224-337.
- Wright, L.K. (1993). Alzheimer's disease and marriage. Newbury Park, CA: Sage.

Nonverbal Communication

Ambady, N., Koo, J., Rosenthal, R., & Winograd, C.H. (2002). Physical therapists' nonverbal

communication predicts geriatric patients' health outcomes. *Psychology and Aging, 17,* 443-452.

Hardiman, C.J., Holbrook, A., & Hedrick, D.L. (1979). Nonverbal communication systems for the severely handicapped geriatric patients. *The Gerontologist 9*(1), 96-101.

Hoffman, S., Platt, C.A., & Barry, K.E. (1988). Comforting the confused: The importance of nonverbal communication in the care of people with Alzheimer's disease. *The American Journal of*

Alzheimer's Care and Related Disorders & Research, January/February, 25-30.

Jansson, R.N.T., Norberg, A., Sandman, P.O., Athin, E., & Asplund, K. (1993). Interpreting facial expressions in patients in the terminal stage of the Alzheimer disease. *Omega*, 26, 309-324.

- Kempler, D. (1988). Lexical and pantomime abilities in Alzheimer's disease. Aphasiology, 2, 147-159.
- Kim, E.J., & Buschmann, M.T. (1999). The effect of expressive physical touch on patients with dementia. *Int. J. Nursing Studies, 36,* 235-243.
- Moore, R.H. (1991). The use of symbolic interaction in the management of Alzheimer's disease: A review of the literature. *Am. J. Alzheimer's Care and Related Disorders & Research, 6* (5), 28-33.
- Palo-Bengtsson, L. & Ekman, S-L. (1997). Social dancing in the care of persons with dementia in a nursing home setting: a phenomemological study. Scholarly Inquiry for Nursing Practice: An International Journal, 11, 101-118.
- Scherder, E., Bouma, A., & Steen, L. (1995). The effects of peripheral tactile stimulation on memory in patients with probable Alzheimer's disease. *Am. J. Alzheimer's Disease, 10*(3), 15-21.

Vortherms, R. C. (1991). Clinically communicating through touch. J. Gerontol. Nursing, 17(5), 6-10.

Evaluations and Assessments

- Arkin, S.M. & Mahendra, N. (2001). Insight in Alzheimer's patients: Results of a longitudinal study using three assessment methods. *Am. J. Alzheimer's Disease, 16*, 211-224.
- Bayles, K.A., & Tomoeda, C.K. (1993). The ABC's of dementia_ Tucson, AZ: Canyonlands.
- Bourgeois, M. (1998). Functional outcome assessment of adults with dementia. *Seminars in Speech and Language*, *19*(3), 261-279.
- Causino Lamar, M.A., Obler, L.K., Knoefel, J.E., & Albert, M.L. (1994). Communication patterns in end-stage Alzheimer's disease: pragmatic analyses. In R.L. Bloom, L.K. Obler, S. De Santi, & J.S. Ehrlich (Eds.) *Discourse analysis and applications: studies in adult clinical populations* (pp. 217-235). Hillsdale, NJ: Lawrence Erlbaum Associates.
- Mahendra, N., Bayles, K.A., & Harris, F.P. (2005). Effect of presentation modality on immediate and delayed recall in individuals with Alzheimer's disease. *American Journal of Speech*, 14(2), 144-155.
- Santo Pietro, M.J. & Boczko, F. (1998). The Breakfast Club: Results of a study examining the effectiveness of a multi-modality group communication treatment. *Am. J. Alzheimer's Disease, 13*(3), 146-158.
- Tomoeda, C.K. (2001). Comprehensive assessment for dementia: A necessity for differential diagnosis and management. *Seminars in Speech and Language, 22* (4), 275-290.

Evaluations and Assessments - Discourse

- Garcia, L.J. & Joanette, Y. (1997). Analysis of conversational topic shifts: a multiple case study. *Brain* and Language, 58(1), 92-114.
- Garcia, L.J., & Orange, J.B. (1996). The analysis of conversational skills of older adults: Current research and clinical approaches. J. Speech-Language Pathology and Audiology, 20, 123-135.
- Lamar, M.A.C., Obler, L.K., Knoefel, J.E., & Albert, M. L. (1994). Communication patterns in end-stage Alzheimer's disease: Pragmatic analyses. In R.L. Bloom, L.K. Obler, S. De Santi, & J.S. Ehrlich (Eds.), *Discourse analysis and applications: Studies in adult clinical populations* (pp. 217-235). Hillsdale, NJ: Erlbaum.
- Lubinski, R., & Orange, J.B. (2000). A framework for the assessment and treatment of functional communication in dementia. In L. Worrall and C. Frattali, (Eds.) *Neurogenic communication disorders: A functional approach* (pp. 220-246). NY: Thieme.
- Oliver, S. & Redfern, S.J. (1991). Interpersonal communication between nurses and elderly patients: Refinement of an observation schedule. *J. Advanced Nursing*, 16, 30-38.
- Ramanathan-Abbott, V. (1994). Interactional differences in Alzheimer's discourse: An examination of AD speech across two audiences. *Language in Society, 23,* 31-58.
- Ripich, D.N., Fritsch, T., Ziol, E., & Durand, E. (2000). Compensatory strategies in picture description across severity levels in Alzheimer's disease: A longitudinal study. *Am. J. Alzheimer's Disease, 15*, 217-228.
- Roberto, K.A., Richter, J.M., Bottenberg, D.J., & Campbell, S. (1998). Communication patterns between caregivers and their spouses with Alzheimer's disease: A case study. *Archives of Psychiatric Nursing*, *12*(4), 202-208.

Management of Behaviour Problems

- Allen-Burge, R., Stevens, A., & Burgio, L.D. (1999). Effective behavioral interventions for decreasing dementia-related challenging behavior in nursing homes. *Intl. J. Geriatric Psychiatry, 14,* 213-232.
- Dawson, P., Wells, D.L., & Kline, K. (1993). *Enhancing the abilities of persons with Alzheimer's and related dementias: A nursing perspective.* New York, NY: Springer Publishing Company.
- Gitlin, L.N., Winter, L., Dennis, M.P., Corcoran, M., Schinfeld, S., & Hauck, W.W. (2002). Strategies used by families to simplify tasks for individuals with Alzheimer's disease and related disorders: Psychometric analysis of the task management strategy index (TMSI). *The Gerontologist*, 42(1), 61-69.
- Gugel, R. N. (1994). Behavioral approaches for managing patients with Alzheimer's disease and related disorders. *Medical Clinics of North America*, *78*, 861-867.
- McEvoy, C.L., & Patterson, R.L. (1986). Behavioral treatment of deficit skills in dementia patients. *The Gerontological Society of America*, 29 (5), 475-478.
- Newman, S., & Ward, C. (1993). An observational study of intergenerational activities and behavior change in dementing elders at adult day care centers. *Intl. J. Aging and Human Development, 36*, 321-333.
- Rabins, P.V. (1981). Management of irreversible dementia. *Psychosomatics*, 22(7), 591-597.
- Rabins, P.V. (1984). Management of dementia in the family context. Psychosomatics, 25(5), 369-375.
- Rabins, P.V. (1986). Establishing Alzheimer's disease units in nursing homes: Pros and cons. *Hospital* and Community Psychiatry, 37(2), 120-121.
- Reisberg, B., Shulman, E., Steinberg, G., Rabinowitz, E., Kahn, R., & Ferris, S.H. (1986). Patient and caregiver management. *Drug Therapy, October*, 65-93.
- Savelkoul, M., Commissaris, K., & Kok, G. (1998). Behavior and behavioural determinants in the management of demented people in residential homes. *Patient Education and Counseling*, 34, 33-42.
- Teri, L., & Logsdon, R. G. (1991). Identifying pleasant activities for Alzheimer's disease patients: The pleasant events schedule AD. *The Gerontologist, 31,* 124-127.

Comprehension

- Alberoni, M., Baddeley, A., Della Salla, S., Logie, R., & Spinnler, H. (1992). Keeping track of a conversation: Impairments in Alzheimer's disease. *International J. Geriatric Psychiatry*, 7, 639-642.
- Bohling, H.R. (1991). Communication with Alzheimer's patients: An analysis of caregiver listening patterns. *Intl. J. Aging and Human Development,* 33, 249-267.
- Bucks, R.S., & Radford, S.A. 2004). Emotional processing in Alzheimer's disease. Ageing & Mental Health, 8, 222-232.
- Faust, M.E., Balota, D.A., Duchek, M.A., & Smith, S. (1997). Inhibitory control during sentence comprehension in individuals with dementia of the Alzheimer's type. *Brain and Language*, 57(2), 225-253.
- Grossman, M., D'Esposito, M., Hughes, E., Onishi, K., Biassou, N., White-Devine, T., & Robinson, K.M. (1996). Language comprehension profiles in Alzheimer's disease, multi-infarct dementia, and frontotemporal degeneration. *Neurology*, *47*, 183-189.
- Grossman, M., Mickanin, J., Onishi, K., & Hughes, E. (1996). Verb comprehension deficits in Alzheimer's disease. *Brain and Language*, *53*, 369-389.
- Grossman, M. & White-Devine, T. (1998). Sentence comprehension in Alzheimer's disease. *Brain and Language*, *62*(2), 186-201.
- Hamilton, H.E. (1994). Requests for clarification as evidence of pragmatic comprehension difficulty: The case of Alzheimer's disease. In R. L. Bloom, L. K. Obler, S. De Santi, & J. S. Ehrlich (Eds.), Discourse analysis and applications: Studies in adult clinical populations (pp. 185-199). Hillsdale, NJ: Erlbaum.
- Kemper, S. (1997). Metalinguistic judgements in normal aging and Alzheimer's disease. J. Gerontology: Psychological Sciences, 52B(3), P147-155.
- Kempler, D., Almor, A. & MacDonald, M.C. (1998). Teasing apart the contribution of memory and language impairments in Alzheimer's disease: An online study of sentence comprehension. *American J. Speech-Language Pathology*, 7(1), 61-67.
- Kempler, D., Almor, A., Tyler, L.K., Andersen, E.S., & MacDonald, M.C. (1998). Sentence comprehension deficits in Alzheimer's disease: a comparison of off-line and on-line sentence processing. *Brain and Language, 64*(3), 297-316.

- Kempler, D. Van Lancker, D., & Read, S (1988). Proverb and idiom comprehension in Alzheimer disease. *Alzheimer's Disease and Associated Disorders*, 2(1), 38-49.
- Lavenu, I., Pasquier, F., Lebert, F., Petit, H., & Van der Linden, M. (1999). Perception of emotion in frontotemporal dementia and Alzheimer disease. *Alzheimer Disease and Associated Disorders, 13*, 96-101.
- Leikin, M. & Peretz, J.A. (1998). An aspect of auditory word and sentence comprehension in Alzheimer's disease. *J. Medical Speech-Language Pathology, 6*(3), 115-122.
- Obler, L.K., Obermann, L. Samuels, I., & Albert, M.L. (1999). Written input to enhance comprehension in dementia of the Alzheimer's type. In H. Hamilton (Ed.). *Language and communication in old age* (pp. 63-75). NY: Garland Publishing.
- Rochon, E., Waters, G.S., & Caplan, D. (1994). Sentence comprehension in patients with Alzheimer's disease. *Brain and Language, 46,* 329-349.
- Small, J.A., Kemper, S., & Lyons, K. (1997). Sentence comprehension in Alzheimer's disease: effects of grammatical complexity, speech rate, and repetition. *Psychology and Aging*, *12*(1), 3-11.
- Waters, G.S., Caplan, D., & Rochon, E. (1995). Processing capacity and sentence comprehension in patients with Alzheimer's disease. *Cognitive Neuropsychology*, *12*(1), 1-30.
- Waters, G.S. & Rochon, E. (1998). Task demands and sentence comprehension in patients with dementia of the Alzheimer's type. *Brain and Language, 62*(3), 361-397.

Meals and Conversation

- Altus, D.E., Engleman, K.K., & Mathews, R.M. (2002). Using family-style meals to increase participation and communication in persons with dementia. J. Gerontological Nursing, 28, 47-53.
- Hallberg, I., Norberg, A. & Johnson, K. (1993). Verbal interaction during the lunch-meal between caregivers and vocally disruptive dementia patients. *Am. J. Alzheimer's Care and Related Disorders & Research, 8,* 26-32.
- Sandman, P.O., Norberg, A., & Adolfson, R. (1988). Verbal communication and behavior during meals in five institutionalized patients with Alzheimer-type dementia. *J. Advanced Nursing*, 33(11), 21-26.
- Santo Pietro, M. J. (1994). Assessing the communicative styles of caregivers of patients with Alzheimer's disease. *Seminars in Speech and Language, 15* (3), 236-254.

Exercise and Communication

- Arkin, S.M. (1996). Volunteers in partnership: An Alzheimer's rehabilitation program delivered by students. *Am. J. Alzheimer's Disease, 11,* 12-22.
- Arkin, S.M. (1999). Elder rehab: a student-supervised exercise program for Alzheimer's patients. *The Gerontologist*, *39*(6), 729-735.
- Camicioli, R., Howieson, D., Lehman, S., & Kaye, J. (1997). Talking while walking: the effects of a dual task in aging and Alzheimer's disease. *Neurology, 48,* 955-958.
- Friedman, R. & Tappen, R.M. (1991). The effect of planned walking on communication in Alzheimer's disease. *J. Am. Geriatrics Society*, *39*, 650-654.

Caregiver Stress and Burden

Adams, K.B. (2006). The transition to caregiving: the experience of family members embarking on the dementia caregiving career. *Journal of Gerontological social Work, 47(3/4),* 3-29.

Au, A., Lai, M., Lau, K., Pan, P., Lam, L., Thompson, L., & Gallagher-Thompson, D. (2009). Social support and well-being in dementia family caregivers: The mediating role of self-efficacy. *Aging & Mental Health*, *13*(5) 761-768.

Brown, L.J., Potter, J.F. & Foster, B.G. (1990). Caregiver burden should be evaluated during geriatric assessment. *Journal of American Geriatrics Society, 38,* 455-460.

Caron, C.D. & Bowers, B.J. (2003). Deciding whether to continue, share, or relinquish caregiving: Caregiver views. *Qualitative Health Research*, *13(9)*, 1252-1271.

- Chemali, Z., Withall, A., & Daffner, K.R. The plight of caring for young patients with frontotemporal dementia. *American Journal of Alzheimer's Disease and Other Dementias*, 25(2), 109-115.
- Clyburn, L.D., Stone, M.J., Hadjistavropoulos, Tuokko, H. (2000). Predicting caregiver burden and depression in Alzheimer's disease. *Journal of Gerontology*, *55B(1)*, S2-S13.

- Germain, S., Adam, S., Olivier, C., Cash, H., Ousset, P.J., Andrieu, S. ... Salmon, E. (2009). Does cognitive impairment influence burden in caregivers of patients with Alzheimer's disease? *Journal of Alzheimer's Disease, 17,* 105-114.
- Hulme, C., Wright, J., Crocker, T., Oluboyede, Y. & House, A. (2009). Non pharmacological approaches for dementia that informal carers might try or access: A systematic review. *International Journal of Geriatric Psychiatry.*
- Kraijo, H., Brouwer, W., de Leeuw, R., Schrijvers, G., & van Exel, J. (2011). Coping with caring: Profiles of caregiving by informal carers living with a loved one with dementia. *Dementia*, *11*(1), 113-130.

Nicolaou, P.L., Egan, S.J., Gasson, N. & Kane, R.T. (2010). Identifying needs, burden, and distress of carers of people with Frontotemporal dementia compared to Alzheimer's disease. *Dementia*, *9*(2), 215-235.

- Noyes, B.B., Hill, R.D., Hicken, B.L., Luptak, M., Rupper, R., Dailey, N.K. & Bair, B.D. (2010). The role of grief in dementia caregiving. *American Journal of Alzheimer's Disease & Other Dementias*, 25(1), 9-17.
- Ory, M.G., Hoffman, R.R., Yee, J.L., Tennstedt, S. & Schulz, R. (1999). Prevalence and impact of caregiving: A detailed comparison between dementia and nondementia caregivers. *The Gerontologist, 39 (2),* 177-185.
- Torti, F.M., Gwyther, L.P., Reed, S.D., Friedman, J.Y., & Schulman, K.A. (2004). A multinational review of recent trends and reports in dementia caregiver burden. *Alzheimer Disease Association Disorders* 18(2), 99-109.
- Raccichini, A., Castellani, S., Civerchia, P., Fioravanti, P., & Scarpino, O. (2009). The caregiver's burden of Alzheimer patients: Differences between live-in and non-live-in. *American Journal of Alzheimer's Disease & Other Dementias*, 24(5,) 377-383.
- Savundranayagam, M.Y., Hummert, M.L. & Montgomery, R.J.V. (2005). Investigating the effects of communication problems on caregiver burden. *Journal* of Gerontology: Social Sciences, 60B(1) S48-S55.
- Savundranayagam, M.Y., Montgomery, R.J.V., & Kosloski, K. (2011). A dimensional analysis of caregiver burden among spouses and adult children. *The Gerontologist, 51*(3), 321-331.
- Schoenmakers, B., Buntinx, F. & DeLepeleire, J. (2010). Factors determining the impact of care-giving on caregivers of elderly patients with dementia. A systematic review. *Maturitas, 66,* 191-200.
- Schoenmakers, B., Buntinx, F. & DeLepeleire, J. (2010). Supporting the dementia family caregiver: The effect of home care intervention on general well-being. *Aging & Mental Health*, *14(1)*, 44-56.
- Schulz, R. & Martire, L.M. (2003). Family caregiving of persons with dementia: Prevalence, health effects, and support strategies. *American Journal of Geriatric Psychiatry*, 12(3), 240-249.
- Song Beeber, A., Zimmerman, S., Mitchell, C.M. & Gould, E. (2010). Challenges and strategies for implementing and evaluating dementia care staff training in long-term care settings. *Alzheimer's Care Today*, *11(1)*, 17-39.
- Stirling, C., Andrews, S., Croft, T., Vickers, J., Turner, P., & Robinson, A. (2010). Measuring dementia carers' unmet need for services- an exploratory mixed method study. *BMC Health Services Research*, *10*, 122-132.
- Walters, A.H., Oyebode, J.R., & Riley, G.A. (2010). The dynamics of continuity and discontinuity for women caring for a spouse with dementia. *Dementia*, *9*(2), 169-189.
- Werner, P., Mittelman, M.S., Goldstein, D., & Heinik, J. (2011). Family stigma and caregiver burden in alzheimer's disease. *The Gerontologist, 52*(1), 89-97.
- Zucchella, C., Bartolo, M., Pasotti, C., Chiapella, L., & Sinforaiani, E. (2011). Caregiver burden and coping in early-stage Alzheimer disease. *Alzheimer's Disease and Associated Disorders*. Advance Online Publication.